

Procedure Chairs

3000 | 3050 | 3100





Mobility SystemEasily move your chair in the room (not for patient transport)



((The most cost-effective ADA compliant procedure chair in the market today **))**



3050Procedure Chair



- Oakworks Procedure Chairs, with their 19" low height and fully powered functions are a cost effective ergonomic solution for many procedures and exams. Built in our Pennsylvania factory and backed by a 3 year parts, 2 years labor warranty.

Arm rests can be rotated horizontally and can be folded down, out of the way, providing excellent access

- Powered: height, back rest leg rest, trendelenburg
- · ADA 19" low height
- 550 lb weight rating





chair and lock it in place.

3100 Procedure Chair



3100 ModelMobility System standard (not for patient transport)

- Powered: height, back rest leg rest, trendelenburg
- · ADA 19" low height
- 550 lb weight rating

Better Access, Better Ergonomics







Eliminating the large central column many use, our twin lifting tower design supports access from all sides of the chair.

The 3100 Procedure Chair comes standard with stirrups and a narrower leg section that permits the stirrups to be extended or retracted with the patients legs supported.

Flat Headrest Pad



Adjustable in height and angle, U-Shaped Pad for prone available

Hand Control



User programmable memory positions and presets

Removable Pads



Remove for cleaning or replacement

Seat Section



Our unique hinge design shortens the seat for more comfort.

Accessory T-Rail



Easily attached to multiple locations

Side Rails



Fold down completely out of the way

Stirrups



Retractable, adjustable in length and width

Procedure Tray



Retractable, Stainless steel

Comparison Chart/ Specifications



All 3000 Series Chairs can be configured to your exact needs with many options and accessories available. They come fully assembled with a 3 year parts, 2 year labor warranty.







O* - Arm Rest or Side Rails - not both

		head rest	-	
Spec	Description	3000	3050	3100
3 Section Top	26" W x 61" L (76" w/head rest)	S	S	S
Backrest	25" L	S	S	S
Seat	24" L	S	S	S
Leg Rest	11" L x 26" W (19" W on 3100)	S	S	S
Motion 1	Height Range 19" - 33"	S	S	S
Motion 2	Trendelenburg 15° / Reverse 21°	S	S	S
Motion 3	Backrest 0-75°	S	S	S
Motion 4	Leg Rest 0-90°	S	S	S
Weight Capacity	550 lb	S	S	S
Hand Control	Programmable Memory	S	S	S
Foot Control	All functions	0	0	S
Padding	2.5" Comfort Foam™	S	S	S
Flat Headrest	11"L x 13" W (extends up to 4")	0	S	S
Stirrups	Adjustable / Retractable	N/A	N/A	S
Procedure Tray	12.25" x 10.25" (holds 2 quarts)	N/A	N/A	0
Mobility System	Electronic Caster System	N/A	S	S
Side Rails	25.5" L x 6" Tall (pair)	0*	N/A	0*
Arm Rests	4" wide x 18" L (pair)	0*	S	0*
Battery Backup	Automatic backup	0	0	0
Paper Roll Holder	Accommodates rolls up to 18" W	S	S	S
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate	S	S	S



View Product Video





FDA LISTED CLASS I PRODUCT

FABRIC COLORS

White-T26
Opal-T12
Heron-T05
Earth-T07
Stone-T13
Sapphire-T17
Clay-T18
Sky Blue-T04

